


BEGA

Photometric Filename: 22434.ies

TEST: L06123207
 TEST LAB: LIGHT LABORATORY, INC.
 DATE: 6/21/2012
 LUMINAIRE: 22 434
 LAMP: 50.6W LED



All results in accordance with IESNA LM-79-08




Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	2982
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	54
Total Luminaire Watts	55.42
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.56 ft
Luminous Width (90-270)	0.78 ft
Luminous Height	0.00 ft
R9 Value	4.77

Zonal Lumen Summary

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	14.32
100-110	146.84
110-120	403.24
120-130	576.76
130-140	603.22
140-150	502.70
150-160	384.65
160-170	257.56
170-180	92.65



Mounting Height = 10 ft. Grid Spacing = 10 ft.

NOTE: Iso-template shows ceiling illumination

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.