


# BEGA

Photometric Filename: 24818.ies

TEST: BE\_24818  
 TEST LAB: BEGA  
 DATE: 4/27/2017  
 LUMINAIRE: 24 818  
 LAMP: 11.7W LED




## Characteristics


NEMA Type	3 H x 3 V
Maximum Candela	15293.9
Maximum Candela Angle	0 H 0 V
Horizontal Beam Angle (50%)	15.2
Vertical Beam Angle (50%)	15.2
Horizontal Field Angle (10%)	31.5
Vertical Field Angle (10%)	31.5
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	584
Beam Efficiency	N.A.
Field Lumens	1235
Field Efficiency	N.A.
Spill Lumens	394
Luminaire Lumens	1629
Total Efficiency	N.A.
Total Luminaire Watts	14

## Zonal Lumen Summary

Zone	Lumens
0-10	851.62
10-20	543.69
20-30	140.32
30-40	59.05
40-50	33.90
50-60	9.23
60-70	0.07
70-80	0.15
80-90	0.07
90-100	0.00
100-110	0.00
110-120	0.00
120-130	0.00
130-140	0.00
140-150	0.00
150-160	0.00
160-170	0.00
170-180	0.00



Mounting Height = 20 ft. Grid Spacing = 5 ft.



In the interest of product improvement, BEGA reserves the right to make technical changes without notice.