Application

Recessed wall luminaire with unshielded light distribution for the illumination of ground surfaces, building entrances, stairs and footpaths. Separate installation housing allows for seamless coordination into construction and easy maintenance.

Materials

Clear safety glass with white ceramic coating Marine grade, copper free (≤0.3% copper content) A360.0 aluminum alloy BEGA Tricoat ®, a 3-layer finishing technology for increased corrosion protection Stainless steel screw clamps

Composite installation housing

NRTL listed to North American Standards, suitable for wet locations Protection class IP 65

Weight: 5.3 lbs.

Electrical

Operating voltage Minimum start temperature LED module wattage System wattage Controllability Color rendering index Luminaire lumens LED service life (L70)

120-277VAC -30° C 16.4 W 20.0W 0-10V dimmable Ra > 80 1329 lm 60000 hrs

LED color temperature

4000K (K4) 3500K (K35) 3000K (K3) 2700K (K27)

BEGA can supply you with suitable LED replacement modules for up to 20 years after the purchase of LED luminaires - see website for details

Finish

All BEGA standard finishes are matte, textured powder coat with minimum 3 mil thickness. BEGA Unidure® finish, a fluoropolymer technology, provides superior fade protection in Black, Bronze, and Silver. BEGA standard White is a super durable polyester powder. Optionally available RAL and custom color finishes provided in either polyester powder or liquid paint.

Available colors

Black (BLK) Silver (SLV) RAL:

Bronze (BRZ) White (WHT) CUS:

Type: **BEGA Product:** Project: Modified:

Available options

CUS .	Custom finish
FSC	Fusing
MGU	Marine grade undercoat
RAL	RAL finish

Included (available for pre-shipment) BB24061

Installation housing



Recessed wall luminaire · Unshielded						
	LED	А	В	С		
B33157	16.4W	16 ¹ / ₂	5	51/2		

BEGA 1000 BEGA Way, Carpinteria, CA 93013 (805) 684-0533 info@bega-us.com

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of BEGA North America. For the most current technical data, please refer to bega-us.com © copyright BEGA 2024 Updated 01/01/24