


# BEGA

File: 84287K4.ies

TEST: BE\_84287K4  
 TEST LAB: BEGA  
 DATE: 10/18/2019  
 LUMINAIRE: 84287K4  
 LAMP: 3.7W LED




## Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	345
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	58
Total Luminaire Watts	6
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.48 ft
Luminous Width (90-270)	0.48 ft
Luminous Height	0.00 ft

## Zonal Lumen Summary

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	5.06
100-110	23.29
110-120	42.55
120-130	56.37
130-140	62.57
140-150	60.38
150-160	50.16
160-170	33.15
170-180	11.58



Setback: 2 ft.

Grid Spacing: 3 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.


BEGA 1000 Bega Way, Carpinteria, CA 93013 (805)684-0533 Fax (805)566-9474 www.bega-us.com © Copyright BEGA-US 2021

06/21/2021

# BEGA

File: 84287K35.ies

TEST: BE\_84287K4  
 TEST LAB: BEGA  
 DATE: 10/18/2019  
 LUMINAIRE: 84287K35  
 LAMP: 3.7W LED




## Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	338
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	56
Total Luminaire Watts	6
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.48 ft
Luminous Width (90-270)	0.48 ft
Luminous Height	0.00 ft

## Zonal Lumen Summary

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	4.96
100-110	22.82
110-120	41.70
120-130	55.24
130-140	61.32
140-150	59.17
150-160	49.16
160-170	32.49
170-180	11.35



Setback: 2 ft.


Grid Spacing: 3 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

# BEGA

File: 84287K3.ies

TEST: BE\_84287K4  
 TEST LAB: BEGA  
 DATE: 10/18/2019  
 LUMINAIRE: 84287K3  
 LAMP: 3.7W LED




### Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	335
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	56
Total Luminaire Watts	6
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.48 ft
Luminous Width (90-270)	0.48 ft
Luminous Height	0.00 ft

### Zonal Lumen Summary

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	4.91
100-110	22.59
110-120	41.27
120-130	54.68
130-140	60.69
140-150	58.57
150-160	48.65
160-170	32.16
170-180	11.24



Setback: 2 ft.


Grid Spacing: 3 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

# BEGA

File: 84287K27.ies

TEST: BE\_84287K4  
 TEST LAB: BEGA  
 DATE: 10/18/2019  
 LUMINAIRE: 84287K27  
 LAMP: 3.7W LED




## Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	324
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	54
Total Luminaire Watts	6
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.48 ft
Luminous Width (90-270)	0.48 ft
Luminous Height	0.00 ft

## Zonal Lumen Summary

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	4.75
100-110	21.89
110-120	40.00
120-130	52.99
130-140	58.82
140-150	56.76
150-160	47.15
160-170	31.16
170-180	10.89



Setback: 2 ft.

Grid Spacing: 3 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.