Application

Bollard with adjustable light distribution. Adjust internal optics to 0°, 15° or 30° angle in either direction for a variety of distribution options with a single luminaire. Designed for effective lighting of landscapes, pathways, and open spaces. Provided with mounting system that allows the luminaire to be adjusted independent of anchor bolt orientation.

Materials

Clear safety glass A380 aluminum alloy High temperature silicone gasket Zinc plated carbon steel anchor bolts with template Pure anodized aluminum reflector

 $\ensuremath{\textbf{NRTL}}$ listed to North American Standards, suitable for wet locations Protection class IP 65

Weight: 28.7 lbs.

Electrical

Operating voltage Minimum start temperature LED module wattage System wattage Controllability Color rendering index Luminaire lumens LED service life (L70) 120-277V AC -30° C 17.9 W 22.9 W 0-10V dimmable Ra > 90 1236 Im 60000 hrs

LED color temperature

4000K (K4) 3500K (K35) 3000K (K3) 2700K (K27)

BEGA can supply you with suitable LED replacement modules for up to 20 years after the purchase of LED luminaires - see website for details

Finish

All BEGA standard finishes are matte, textured powder coat with minimum 3 mil thickness. BEGA Unidure® finish, a fluoropolymer technology, provides superior fade protection in Black, Bronze, and Silver. BEGA standard White is a super durable polyester powder. Optionally available RAL and custom color finishes provided in either polyester powder or liquid paint.

Available colors

Black (BLK) Silver (SLV) RAL:

C.

Bronze (BRZ) White (WHT) CUS: Type: BEGA Product: Project: Modified:

Available options

CUS	Custom finish
MGU	Marine grade undercoat
RAL	RAL finish

Included (available for pre-shipment) B79817 Anchorage kit

 Bollard · Adjustable

 LED
 A
 B
 C

 B88062
 17.9 W
 10³/₈
 43⁷/₈
 5¹/₄

BEGA 1000 BEGA Way, Carpinteria, CA 93013 (805) 684-0533 info@bega-us.com

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of BEGA North America. For the most current technical data, please refer to bega-us.com © copyright BEGA 2023 Updated 05/08/23

